

ARCHITECTURAL LED · LANDSCAPE

LANDSCAPE COLLECTION

16 fixtures · 2026

CONTENTS

Pathway Lighting	01-06
Spot	07-09
Soffit & Wall	10-11
Floodlight	12-14
Specialty	15-16




RGBW Garden Bollard

6W PATH & LAWN BOLLARD

VOLTAGE	24V DC	POWER	6W
IP RATING	IP65	MATERIAL	Aluminum
COLOR	RGBW · 2700K warm white	CONTROL	App + Remote
MODEL	RPL6W-RGBW	CERTIFICATIONS	RoHS · CE
WARRANTY	3 years		



PRODUCT DETAIL



Disc-Top Path Light

12W SMART GARDEN PATH LIGHT

VOLTAGE	24V DC	POWER	12W
IP RATING	IP65	MATERIAL	Aluminum
COLOR	RGBW · 2700K	CONTROL	App · Voice · Motion
BEAM / SIZE	150 × 805 mm	MODEL	FLP12W
CERTIFICATIONS	CE · RoHS	WARRANTY	3 years



PRODUCT DETAIL




Brass Torch Path Light

3W SOLID BRASS FLAME BOLLARD

VOLTAGE	24V DC	POWER	3W
IP RATING	IP65	MATERIAL	Solid Brass
COLOR	RGBW · 2700K	CONTROL	WiFi + App
BEAM / SIZE	Ø205 × 1900 mm	MODEL	TO3W-MR16-RGBW-BS
WARRANTY	3 years		



PRODUCT DETAIL



Double-Head Brass Path Light

12W TWIN COLUMN SPOTLIGHT

VOLTAGE	24V DC	POWER	12W
IP RATING	IP65	MATERIAL	Solid Brass
COLOR	RGBW	CONTROL	App · Voice · Motion
BEAM / SIZE	60 × 720 mm	MODEL	LS12W-MR16-RGBW-BS
CERTIFICATIONS	CE · RoHS	WARRANTY	3 years



PRODUCT DETAIL



Modern Square Bollard

RGBW SMART PATHWAY BOLLARD

VOLTAGE	24V DC	IP RATING	IP65
MATERIAL	Aluminum	COLOR	RGBW · 3000K
CONTROL	Smart App	BEAM / SIZE	Ø — · ~600 mm H
MODEL	2001	WARRANTY	3 years



PRODUCT DETAIL



Mushroom Path Light

6W CONE-SHADE PATH LIGHT

VOLTAGE	24V DC	POWER	6W
IP RATING	IP65	MATERIAL	Aluminum + PC
COLOR	RGBW · 4100K	CONTROL	App + Remote
BEAM / SIZE	180 × 780 mm	MODEL	UL6W-RGBW
CERTIFICATIONS	RoHS · CE · FCC	WARRANTY	3 years



PRODUCT DETAIL

RGBW Inground Light

WATERPROOF STEP & WALL UPLIGHT

VOLTAGE	24V DC	POWER	6W
IP RATING	IP65	MATERIAL	Aluminum + Stainless
COLOR	RGBW · 4100K neutral	CONTROL	App + Remote
BEAM / SIZE	Ø120 × 110 mm	MODEL	UD6W-RGBW
CERTIFICATIONS	RoHS · CE	WARRANTY	3 years



PRODUCT DETAIL



Round Shrub Light

3W MINI GARDEN SPOT

VOLTAGE	24V DC	POWER	3W
IP RATING	IP66	MATERIAL	Aluminum
COLOR	RGBW · selectable	CONTROL	App · Voice · Motion
BEAM / SIZE	65 × 46 × 80 mm · 15° beam	MODEL	SP3W-RGBW
CERTIFICATIONS	RoHS · CE	WARRANTY	3 years



PRODUCT DETAIL

Aluminum Pathway Light

6W ADJUSTABLE GARDEN LIGHT

VOLTAGE	24V DC	POWER	6W
IP RATING	IP65	MATERIAL	Aluminum
COLOR	RGBW	CONTROL	App · Voice · Motion
BEAM / SIZE	85 × 150 × 213 mm · 15° beam	MODEL	LS6W-MR16-RGBW
CERTIFICATIONS	RoHS · CE	WARRANTY	3 years



PRODUCT DETAIL




RGBW Soffit Light

10-15W RECESSED EAVE PUCK

VOLTAGE	24V DC	POWER	10W / 15W
IP RATING	IP65	MATERIAL	Die-Cast Aluminum
COLOR	RGBW	CONTROL	App (WiFi + BT)
MODEL	SF10/15W-RGBW	CERTIFICATIONS	RoHS · CE
WARRANTY	3 years		



PRODUCT DETAIL



RGBW Wall Bar Light

LINEAR FACADE & PATH BAR

VOLTAGE	24V DC	IP RATING	IP65
MATERIAL	Aluminum	COLOR	RGBW · 2700K
CONTROL	WiFi App	MODEL	RPL6W-RGBW
WARRANTY	3 years		



PRODUCT DETAIL

Square Landscape Floodlight

18W LOW-VOLTAGE WALL WASH

VOLTAGE	24V DC	POWER	18W
IP RATING	IP67	MATERIAL	Aluminum Alloy
COLOR	RGBW · 6000K	CONTROL	WiFi App
BEAM / SIZE	140 × 140 × 83 mm	MODEL	LS18W
CERTIFICATIONS	CE · RoHS	WARRANTY	3 years



PRODUCT DETAIL

100W RGBW Floodlight

DMX512 HIGH-OUTPUT FACADE

VOLTAGE	AC 85–265V
IP RATING	IP67
COLOR	RGBW · selectable CCT
BEAM / SIZE	325 × 246 × 75 mm
CERTIFICATIONS	CE · RoHS

POWER	100W
MATERIAL	Aluminum Alloy
CONTROL	DMX512
MODEL	FL100W-DMX
WARRANTY	5 years



PRODUCT DETAIL

Circular RGBW Floodlight

DMX512 ADJUSTABLE FACADE

VOLTAGE	AC 85–265V
IP RATING	IP66
COLOR	RGBW
MODEL	YYST-GDTGD-077
WARRANTY	3 years

POWER	36–100W
MATERIAL	Aluminum + Glass
CONTROL	DMX512
CERTIFICATIONS	CQC · CE · RoHS



PRODUCT DETAIL

Brass Hanging Pendant Light

SMART TREE & TRELLIS PENDANT

VOLTAGE	24V DC	IP RATING	IP65
MATERIAL	Brass	COLOR	RGBW · 2700K
CONTROL	WiFi Smart + Remote	MODEL	HA6W-MR16-RGBW-BS
WARRANTY	3 years		



PRODUCT DETAIL

RGBW Tree Ring Light

6W TRUNK WRAP · 4-SEGMENT RING

VOLTAGE	24V DC	POWER	6W
IP RATING	IP65	MATERIAL	Aluminum
COLOR	RGBW	CONTROL	WiFi · App · BT · Remote
BEAM / SIZE	223 × 65 × 50 mm	MODEL	HT6W-RGBW
CERTIFICATIONS	RoHS · CE	WARRANTY	3 years

Complete ring — set of 4 segments (one tree).



PRODUCT DETAIL